

Contents

	Page
Review lecture	
Oxidative stress: development and physiological consequences in farm animals	21-29
K. Eder, Justus-Liebig-University of Gießen	
Digestion	
1. Forestomach pH in hunted roe deer (<i>Capreolus capreolus</i>) in relation to forestomach region, time of measurement, supplemental feeding, and a comparison among wild ruminant species	31
J. Ritz, K. Hofer, E. Hofer, K. Hackländer, D. Immekus, D. Codron, M. Clauss – Zurich/Vienna/Maierhöfen	
2. Different patterns in the metabolism and microbial populations in caprine rumen and colon in response to grain-rich diets	32
Q. Zebeli, B. Metzler-Zebeli – Vienna	
3. Effects of induced drought stress on chemical composition of legumes and their ruminal fermentation <i>in vitro</i>	33
C. Lindig, J. Isselstein, Hj. Abel, B. Schröder, G. Breves – Hanover/Göttingen	
4. Estimating the allometric decrease of diet quality in free ranging herbivores via faecal nitrogen	34
P. Steuer, K.-H. Südekum, J. Kaandorp, T. Tütken, M. Clauss, M. Bucher, J. Hummel – Bonn/Beekse Bergen/Zurich/Göttingen	
5. Influence of Nitrogen-restrictive diets on Nitrogen-balances and rumen microbial parameters in goats	35
J. Kraushaar, G. Breves – Hanover	
6. Effects of thermal processing (cooking) of rice starch on <i>in vitro</i> fermentation (gas production) in case of exocrine pancreatic insufficiency when using ileal chyme as inoculum	36
S. Vagt, A. Mößeler, P. Gregory, J. Kamphues – Hanover	
7. Elongation of the small intestine in case of experimentally induced exocrine pancreatic insufficiency in young pigs – how long does it take?	37
A. Mößeler, T. Schwarzmaier, P.C. Gregory, J. Kamphues – Hanover	
8. The comparison of feed digestibility between sheep and goats as influenced by various dietary constituents	38
M. Q. Riaz, K.-H. Südekum, A. Jayanegara – Bonn/Bogor	
9. Rumen simulation technique as a model for induction of rumen acidosis: biochemical parameters and microbial diversity	39
M. Eger, S. Riede, G. Breves – Hanover	
10. Ruminal degradation of quercetin and its influence on fermentation processes in ruminants	40
L. M. Berger, R. Blank, S. Wolffram – Kiel	

	Page
11. Is the serum triglyceride concentration after intake of a diet rich in fat a suitable parameter to test the efficacy of lipase supplementation in pancreatic duct ligated minipigs used as a model for human exocrine pancreatic insufficiency?	41
N. Schüler, A. Mößeler, S. Kolleck, P. C. Gregory, J. Kamphues – Hanover	
12. Morphometry of the terminal ileum and of the cecal valve in pigs, related to diets' physical form and compaction	42
M. G. Cappai, S. Sander, M. Arlinghaus, W. Pinna, J. Kamphues – Sassari/Hanover	
13. Influence of diet's physical form (grinding intensity/compaction) on the precaecal and total tract digestibility of organic matter, crude protein and starch in pigs	43
M. Arlinghaus, S. J. Sander, H. K. Spindler, P. Rosenfelder, J. Kamphues – Hanover/Hohenheim	
14. Fermentation processes in the caeca of turkeys fed diets containing increasing levels of intact grain wheat	44
J. Jankowski, Z. Zdunczyk, D. Mikulski, J. Juskiewicz – Olsztyn	
15. Digestibility of dietary fat as well as soap content in excreta of turkeys related to age, fat content and fat source in the diet	45
M. Schulte, L. Koddebusch, J. Kamphues – Hanover/Ahlhorn	
Minerals	
16. Effect of different corn conservation techniques and phytase supplementation on total tract apparent digestibility of phosphorus and calcium in restrictively fed growing pigs	46
E. Humer, W. Wetscherek, K. Schedle – Vienna	
17. Effects of formic acid and phytase supplementation on digestibilities and utilisation of phosphorus and zinc in growing pigs	47
M. Naatjes, R. Blank, P. Ader, A. Susenbeth – Kiel/Ludwigshafen	
18. Evaluation of effects among dietary cereals and calcium-phosphorus level on nutrient digestibility and serum parameters in weaned pigs	48
B. U. Metzler-Zebeli, S. Schmitz-Esser, E. Mann, M. Wagner, M. Ritzmann, Q. Zebeli – Vienna	
19. <i>In vitro</i> and <i>in situ</i> ruminal degradation of phytate in different feedstuffs	49
E. Haese, M. Lengowski, J. Boguhn, M. Schollenberger, H. Steingaß, M. Rodehutscord – Stuttgart-Hohenheim	
20. Precaecal degradation of inositol phosphates in broilers is reduced by dietary supplementation of mineral P and Ca	50
Y. Shastak, M. Witzig, M. Schollenberger, M. Rodehutscord – Stuttgart-Hohenheim	

	Page
21. Alterations in gastro-intestinal bacterial microbiota and fermentation end-products in weaned pigs fed different dietary cereals and CaP levels	51
B. U. Metzler-Zebeli, E. Mann, S. Schmitz-Esser, M. Wagner, M. Ritzmann, Q. Zebeli – Vienna	
22. Effects of feeding pharmacological dosage of dietary zinc on immune parameters in weaned pigs infected with <i>Salmonella enterica</i> serovar Typhimurium DT 104	52
S. Kreuzer, P. Janczyk, J. Assmus, K. Nöckler, G. A. Brockmann – Berlin	
23. Effect of feeding pharmacological levels of zinc oxide on development of small intestinal physiology in weaned piglets	53
P. Liu, L. Martin, J. Rieger, R. Pieper, W. Vahjen, J. Plendl, J. Zentek – Berlin	
24. Influence of high level of dietary zinc oxide on intestinal zinc fractions and their correlation with microbial ecophysiology in pigs	54
R. Pieper, I. Starke, W. Vahjen, J. Zentek – Berlin	
25. Effect of exocrine pancreatic insufficiency and pancreatic enzyme replacement therapy on bone mineral content of young growing pigs	55
A. Möbeler, A. Liesegang, T. Schwarzmaier, P. C. Gregory, J. Kamphues – Hanover/Zurich	
26. Selenium status of feed for dairy cows with the focus on mineral vitamin premixes and compound feed	56
F. Schöne, K. Weigel, H. Bergmann, E. Herzog, S. Dunkel, R. Kirmse, M. Leiterer – Jena	
27. Impact of high inorganic selenium and manganese diets on egg quality of brown layers	57
C. Mair, J. Jaeger, K. Ebner – Vienna	
28. Variability of phosphorus precaecal digestibility of triticale in broilers	58
C.-J. Ingelmann, M. Witzig, H. P. Maurer, J. Boguhn, M. Schollenberger, M. Rodehutsord – Stuttgart-Hohenheim	
29. Influence of a long-term supplementation of high levels of zinc oxide on pancreatic protein expression in piglets	59
A. Bondzio, R. Pieper, C. Weise, C. Gabler, J. Zentek, R. Einspanier – Berlin	
30. Effects of different amounts of zinc oxide in the feed on the caecal and faecal microbial activity of weaned piglets	60
P. Janczyk, K. Büsing, A. Zeyner – Berlin/Rostock/Halle	
31. Effect of graded levels of short-term Zn deficiency on parameter of Zn supply status in weaning piglets	61
D. Brugger, W. Windisch – Freising (Weihenstephan)	
32. Comparison of photometric methods for determination of phytate in <i>Jatropha curcas</i> kernel meal (JKM)	62
C. Krome, K. Jauncey, U. Focken - Ahrensburg/Stirling	

33. **Does dietary Phosphorus excess impair renal health in cats?** 63
P. Hertel-Böhnke, A. Demmel, E. Kienzle, B. Dobenecker – Munich
34. **Changes in the proteome of *E. coli* in response to different zinc concentrations in the intestine of gnotobiotic mice** 64
F. Kamprad, M. Blaut, G. Loh – Nuthetal
- Fatty acids**
35. **The impact of polyunsaturated fatty acids on the phagocytosis of *Pseudomonas aeruginosa* and *Rhodococcus equi* by RAW264.7 macrophages** 65
J. Schumann, S. Adolph, H. Fuhrmann – Leipzig
36. **Influence of polyunsaturated fatty acids on Phospholipase D trafficking and activity of mast cells *in vitro*** 66
S. Basiouni, J. Schumann, H. Fuhrmann – Leipzig
37. **Effect of K232A *DGATI* polymorphism and dietary fatty acids on fatty acid profile in milk of dairy** 67
A.M. van Vuuren, A. Klop, A.J. Cnossen – Lelystad
38. **Effect of conjugated linoleic acids on gene expression and fatty acid metabolism of ovine ruminal epithelial cells** 68
F. Benesch, F. Masur, I. Urbansky, G. Gäbel – Leipzig
39. **Effect of characteristic alpine vegetation types on the composition of important C18 polyunsaturated fatty acids (PUFA) of perirenal adipose tissue from lambs of different sheep breeds** 69
H. Willems, M. Kreuzer, F. Leiber – Zurich
40. **Effects of rumen-protected conjugated linoleic acid (CLA) on expression of genes involved in hepatic gluconeogenesis and insulin sensitivity in dairy cows** 70
A. Kinoshita, U. Meyer, E.-M. Weber, K. Huber, S. Dänicke, J. Rehage – Hanover/Braunschweig
41. **Effects of fat content, different fat sources and mineral contents (Ca, K) in the diet on fat and soap content of excreta, litter quality and on foot pad health in broilers** 71
R. Fuhrmann, J. Kamphues – Hanover
42. **The effect of different concentrations of selenite on the fatty acid profile in *in vitro* incubated ovine ruminal fluid containing linseed** 72
M. Czauderna, J. Kowalczyk – Jabłonna
43. **Effects of rumen-protected conjugated linoleic acid (CLA) on hepatic and muscular expression of genes for fatty acid oxidation in dairy cows** 73
A. Kinoshita, U. Meyer, K. Huber, S. Dänicke, J. Rehage – Hanover/Braunschweig
44. **Mechanisms of immunomodulation by polyunsaturated fatty acids** 74
A. Schöniger, H. Fuhrmann, J. Schumann – Leipzig

	Page
45. Expression of two free fatty acid receptors throughout lactation in liver and subcutaneous adipose tissue in dairy cows supplemented with conjugated linoleic acids (CLA)	75
P. Friedrichs, S. Winand, H. Sauerwein, J. Pappritz, U. Meyer, S. Dänicke, M. Mielenz – Bonn/Braunschweig	
46. Effect of false flax (<i>Camelina sativa</i>) cake on milk fatty acids profile in dairy ewes and goats	76
A. Cieslak, M. Szumacher-Strabel, E. Pers-Kamczyc, J. Wójtowski, G. Czyżak-Runowska, M. Stanis, M. Szymczak, J. Szczechowiak – Poznan	
47. Digestibility of a forage-cereal based diet with either processed granulated palm oil product or soybean oil in horses	77
M. Coenen, L. Bachmann, B. v. Buttlar, I. Vervuert – Leipzig	
48. Influence of rapeseed cake, linseed cake and hemp seed cake on laying intensity, egg composition and fatty acid composition of egg yolk in laying hens	78
I. Halle, F. Schöne – Braunschweig/Jena	
Energy	
49. Association of monocyte chemoattractant protein-1 with adipocyte size in subcutaneous and visceral adipose tissue of early lactating dairy cows	79
S. Häußler, K. Friedauer, S. Dänicke, H. Sauerwein – Bonn/Braunschweig	
50. Metabolizable energy (ME) requirements of client owned adult dogs and cats	80
M. Thes, N. Köber, J. Fritz, F. Wendel, N. Dillitzer, E. Kienzle – Munich-Oberschleißheim	
51. Production of short-chain fatty acids from inulin by gut bacteria does not influence body weight gain in mice in short-term feeding experiments	81
K. Piepelow, S. Klaus, G. Loh – Nuthetal	
52. Renal energy excretion in horses in relation to protein intake and presence of green plant material	82
B. Hipp, J. Fritz, E. Kienzle – Munich	
53. Circulating adiponectin concentrations in dairy cows during a negative energy balance in early lactation and during an energy-restriction at 100 days in milk	83
S.P. Singh, S. Häußler, J. Gross, R. Bruckmaier, H. Sauerwein – Bonn/Bern	
54. Lipolytic capacity of adipose tissues in low and high concentrate fed dairy cows ante partum and early post partum	84
Á. Kenéz, L. Locher, A. Rizk, S. Dänicke, J. Rehage, K. Huber – Hanover/Mansoura/Braunschweig	

	Page
55. Nutrient flow in Holstein cows as measured by ¹³C enrichment in milk components during C₃ and C₄ plant feeding H. Hillal, C. C. Metges, H. M. Hammon – Dummerstorf	85
56. Insulin signalling in skeletal muscle after intravenous glucose administration during late pregnancy and early lactation in two Charolais × Holstein F₂ families with different level of milk production S. K. Spachmann, H. M. Hammon – Dummerstorf	86
57. Hepatic α₁- and β₂-adrenergic receptors and energy metabolism in dairy cows with different fat mobilization during early lactation H. M. Hammon, U. Kautzsch, C. Reiko, B. Kuhla, M. Röntgen, M. Derno, C. C. Metges – Dummerstorf	87
58. Different plasma acetic acid concentrations in early lactating dairy cows with a different extent of fat mobilization point to different strategies for covering energy demands C. Schäff, H. Hammon, M. Röntgen, B. Kuhla – Dummerstorf	88
59. Activation of the orexigen agouti-related protein in the hypothalamus of dairy cows with different plasma fatty acid concentration during early lactation S. Börner, E. Albrecht, M. Röntgen, H. Hammon, B. Kuhla – Dummerstorf	89
60. Expression of target genes of nuclear factor E2-related factor 2 (Nrf2) in the liver of dairy cows in the periparturient phase D.K. Gefßner, G. Schlegel, J. Keller, F.J. Schwarz, R. Ringseis, K. Eder – Gießen/Freising	90
61. mRNA abundance of different adrenergic receptors in subcutaneous and retroperitoneal adipose tissue during the transition period of dairy cows receiving a nicotinic acid supplement M. Weber, P. Friedrichs, L. Locher, K. Huber, J. Rehage, S. Dänicke, H. Sauerwein, M. Mielenz – Bonn/Braunschweig/Hanover	91
62. Energy partitioning in early-lactating dairy cows with normal and high liver fat content: Intestinal morphometry, intestinal T cell number and basal energy metabolism of peripheral blood mononuclear cells – a pilot study A. Schwarm, R. Zitnan, V. Revajová, B. Kuhla, H. M. Hammon, M. Schweigel-Röntgen – Dummerstorf/Zurich/Kosice	92
63. Effects of different feeding regimes on water intake, weight gain and duration of diarrhoea in calves J. Wenge, I. Steinhöfel, C. Heinrich, M. Coenen, L. Bachmann – Leipzig/Köllitsch	93
64. Comparison of physiological response and performance of two different yak crossbreds (<i>Bos taurus</i> × <i>Bos grunniens</i> and <i>B. grunniens</i> × <i>B. indicus</i>) kept at two altitudes in the Nepalese Himalaya S.R. Barsila, N.R. Devkota, M. Kreuzer, S. Marquardt – Zurich/Nepal	94

	Page
65. Effects of feed structure (grinding intensity/compaction) on shedding and translocation of <i>Salmonella</i> Enteritidis in broilers after experimental infection	95
C. Ratert, S. J. Sander, J. Verspohl, M. Beyerbach, J. Kamphues – Hanover	
66. Effects of different dietary concepts to reduce boar taint caused by skatole and androstenone in finishing male pigs	96
A. Osterhues, S. J. Sander, R. Tabeling, R. Wesoly, U. Weiler, J. Kamphues – Hanover/Uelzen/Hohenheim	
Free topics	
67. Experimentally induced hyperchloremic and D/L-lactic acid acidosis in calves – Clinical outcomes and dietary effects on acid-base balance	97
L. Schwedhelm, D. Kirchner, M. Coenen, L. Bachmann – Leipzig	
68. Ultrasonographic examination of the abomasum of healthy and diarrhoeic calves after feeding milk and milk-based oral rehydration solutions	98
D. Kirchner, L. Schwedhelm, M. Coenen, L. Bachmann – Leipzig	
69. Preliminary investigations on cottonseed cake implicated with feed refusal and cattle poisoning problems in Pakistan	99
A.W. Yunus, T. Aziz, M. Mahmood-ul-Hassan, S. Asad – Islamabad	
70. Individual variation of immunoglobulin concentration and immunoglobulin mass in colostrum of Swiss dairy cows and dairy goats	100
J.J. Gross, C.F. Tschanz, R.M. Bruckmaier – Bern	
71. Proteomic analysis of rumen mucosa of goats fed different grain diets	101
M. Hollmann, I. Müller, K. Hummel, E. Razzazi-Fazeli, Q. Zebeli – Vienna	
72. Influence of dextran sulfate sodium (DSS) on real-time polymerase chain reaction amplification in the colon of rats exposed to DSS	102
K. Müller, N. Blum, A. Müller – Halle	
Amino acids and nitrogen	
73. Effect of residence time in the desolventizer/toaster on ileal amino acid digestibility in rapeseed meal for pigs	103
M. Eklund, N. Sauer, U. Messerschmidt, F. Schöne, J. Htoo, H. Spindler, P. Rosenfelder, R. Mosenthin – Stuttgart-Hohenheim/Jena/Hanau	
74. Kinetics of body urea-N in growing goat kids fed diets varying in crude protein concentration	104
C. Cox, S. Kehraus, H. Förstel, M. Boner, K. Huber, G. Breves, K.-H. Südekum, E. Pfeffer – Bonn/Jülich/Hannover	
75. Precaecal amino acid digestibility of diets rich in wheat depending on intestine section and xylanase supplementation in broilers	105
T. Bormann, H. Kluth – Halle (Saale)	

	Page
76. Impact of an increasing true digestible (TD) Val to Lys ratio in a protein reduced diet on the performance of broiler chicks M. Lipp, R. Leitgeb, J. Bartelt, E. Corrent, K. Schedle – Vienna	106
77. The effect of the Val to Lys ratio in a low protein high fibre diet on zootechnical performance and slaughter characteristics in broilers A. Schilling, R. Leitgeb, K. Schedle – Vienna	107
78. A meta-analysis of the influence of glycine and serine on growth and feed conversion of broilers using mixed model methodology W. Siegert, H. Ahmadi, M. Rodehutschord – Stuttgart-Hohenheim/Mashhad	108
79. First results of modeling methionine requirement data in naked neck meat type chicken depending on genotype, age and sex D. R. Khan, C. Wecke, F. Liebert – Göttingen	109
80. In vitro prediction of the protein value in cereals for pigs and poultry N. Sauer, M. Eklund, S. Hörner, M. Rodehutschord, H. Schenkel, H. Spindler, P. Rosenfelder, R. Mosenthin – Stuttgart-Hohenheim	110
81. Effects of leucine and tryptophan supplemented diets on amino acid profile of blood plasma and liver BCKDH activity in weaned piglets A. Wessels, H. Kluge, F. Hirche, G. I. Stangl – Halle	111
82. Lysine utilization in growing-finishing pigs dependent on lysine intake level, dietary protein quality and body weight C. Wecke, F. Liebert – Göttingen	112
83. Effects of varying supply of lysine and energy on voluntary feed intake and growth performance of boars and barrows C. Otten, A. Berk, S. Dänicke – Braunschweig	113
84. Amino acid profile in equine muscles as a tool to characterize ideal amino acid ratios for horse diets K. Gramberg, D. Koslowski, F. Liebert – Göttingen	114
85. First results about effects of an amino acid optimized diet on growth parameters of young warm blooded stallions S. Witten, D. Koslowski, F. Liebert – Göttingen	115
86. Effects of a varying crude protein supply on fattening performance of Simmental bulls V.S. Aichner, T. Ettle, A. Obermaier, H. Spiekers, W. Windisch – Grub/Freising	116
87. Nitrogen balance and rumen microbial protein synthesis in goats fed quebracho tannin and activated charcoal A. Alkindi, E. Schlecht, A. Schiborra – Kassel-Witzenhausen/Göttingen	117

see also abstract 113

	Page
Feedstuff evaluation and feeding	
88. The effect of Free Air Carbon Dioxide Enrichment (FACE) during maize cultivation on the in sacco degradability of the grains	118
S. Wroblewitz, L. Hüther, R. Manderscheid, P. Lebzien, S. Dänicke – Braunschweig	
89. Effect of ambient temperature on digestibility in wethers fed Brown-midrib corn silage	119
T. Gorniak, U. Meyer, S. Dänicke – Braunschweig	
90. Effects of corn silage of a Brown-midrib hybrid on <i>in-situ</i> fibre degradation compared to a standard non Bm hybrid	120
T. Gorniak, J. Hamel, U. Meyer, P. Lebzien, S. Dänicke – Braunschweig	
91. Composition of summer and winter diets and their intake by giraffes in three German zoos	121
I. Gussek, K.-H. Südekum, J. Hummel – Bonn/Göttingen	
92. Nutritional value of polish varieties of yellow lupine (<i>Lupinus luteus</i> L.) determined in experiments conducted on broiler chickens	122
A. Rutkowski, S. Kaczmarek, M. Hejdysz, M. Kasprowicz-Potocka – Poznan	
93. Nutritional value of polish varieties of pea (<i>Pisum sativum</i> L.) determined in experiments conducted on broiler chickens	123
A. Rutkowski, S. Kaczmarek, M. Hejdysz, M. Kasprowicz-Potocka – Poznan	
94. Nutritional value of polish varieties of narrow-leaved lupine (<i>Lupinus angustifolius</i> L.) determined in experiments conducted on broiler chickens	124
A. Rutkowski, S. Kaczmarek, M. Hejdysz, M. Kasprowicz-Potocka – Poznan	
95. Effect of grinding and feed processing on broiler performance	125
H. Graf von Reichenbach, C. Elwert, M. Gierus – Reinbek/Wettin-Löbejün	
96. The water holding capacity, characterising the moisture expansion, of a variety of feed materials and mixed feeds for horses	126
A. Khol-Parisini, R. Hirsch, Q. Zebeli – Vienna	
97. Dry matter intake of horses during ad libitum feeding of hay	127
B.A. Wichert, A. Bilanz, B. Strickler, D. Burger, A. Liesegang – Zürich/Avenches	
98. Macro and trace element content of first cut meadow hay fed to horses in Austria	128
S. Handl, K. Hirner, C. Iben – Vienna	
99. Effect of ensiling soaked cowpea grains mixed with sorghum grains on the digestibility of proximate nutrients in growing-finishing pigs	129
L.A. González, S. Hoedtke, K. Büsing, A. Castro, A. Zeyner – Rostock/Santa Clara/Halle	

	Page
100. Screening of barley cultivars and breeding lines from Austria for resistant starch content	130
K. Deckardt, R. Khiaosa-ard, H. Grausgruber, Q. Zebeli – Vienna/Tulln	
101. Fermentation of pectins and other selected substrates using <i>in vitro</i> batch culture with calf faeces as inoculum	131
S. Kieckhäven, K. Büsing, A. Zeyner – Rostock/Halle (Saale)	
102. Alpine vs. lowland forage: effect of vegetation on beef quality	132
I. D. M. Gangnat, S. Kunz, M. Kreuzer, F. Leiber – Zurich	
103. Effect of pore size of nylon bags in ruminal starch degradation studies with cereal grains	133
N. Seifried, H. Steingaß, M. Rodehutschord – Stuttgart-Hohenheim	
104. Effect of concentrate supplementation on grazing behaviour of dairy cows of two Holstein strains in a pasture-based, organic feeding system	134
C. Heublein, F. Dohme-Meier, K.-H. Südekum, F. Schori – Posieux/Bonn	
105. Evaluating multiple chemical and thermal treatments to enhance resistant starch contents in barley	135
K. Deckardt, R. Khiaosa-ard, Q. Zebeli – Vienna	
106. Effect of feeding different amounts of starch from crushed oats of selected varieties on the glycaemic and insulinaemic response of horses	136
K. Romanowski, A. Vernunft, A. Orgis, J. Gottschalk, A. Einspanier, M. Fürll, A. Zeyner – Rostock/Dummerstorf/Leipzig/Halle	
107. Characterisation of particle size distribution in compound feeds by different parameters	137
P. Wolf, M. Arlinghaus, M. Witte, S. Sander, J. Kamphues – Hanover	
Environment	
108. The use of industrial byproducts (DDGS and grape seed meal) to mitigate methane <i>in vitro</i>	138
R. Khiaosa-ard, S. Ahmed, A. Muro-Reyes, K. Deckardt, Q. Zebeli – Vienna/Piacenza/Zacatecas	
109. Differences in the methane inhibiting effect in <i>Methanobrevibacter ruminantium</i> of saturated fatty acids	139
X. Zhou, M. Kreuzer, J.O. Zeitz – Zurich	
110. Plant selection pattern of Criollo Chaqueño in comparison to Brahman × Criollo Chaqueño kept in semi-arid forests in southern Bolivia	140
M.A. Sousa, M. Kreuzer, H. Alzérreca, N. Joaquin, S. Marquardt – Zurich/Bolivia	
111. Effect of fermented charcoal on <i>in vitro</i> ruminal fermentation and its interaction with condensed tannins	141
J. O. Zeitz, M. Kreuzer – Zurich	
112. Methane Emission and their quantitative Prediction in Cattle	142
B. Piatkowski, W. Jentsch – Rostock	

	Page
113. Amino acid efficiency based assessment of the quantitative requirement for branched-chain amino acids in meat type chicken	143
A. Pastor, F. Liebert – Göttingen	
Undesirable substances	
114. Transfer of perfluoroalkyl acids (PFAA) from contaminated feed into tissues of fattening pigs and laying hens	144
J. Kowalczyk, S. Ehlers, H. Schafft, P. Fürst, M. Lahrssen-Wiederholt, A. Simon – Berlin/Münster	
115. Dioxin concentrations in carcasses of primiparous beef cows exposed differently before slaughter	145
L. Ungemach, E. Bruns-Weller, A. Knoll, H. Appuhn, K. Severin, J. Kamphues – Oldenburg/Hameln/Hanover	
116. Effect of feeding deoxynivalenol (DON) contaminated wheat to laying hens of different genetic background and roosters on reproductive performance and health of the hatched chicks	146
M. Ebrahim, S. Kersten, S. Dänicke – Braunschweig	
117. Physiological stress response and fear levels of broiler chickens fed deoxynivalenol	147
K. Ghareeb, W. A. Awad, Q. Zebeli, J. Böhm – Vienna	
118. Effects of a <i>Fusarium</i> toxin contaminated maize, hydrothermally treated in the presence of sodium bisulfite (SBS), monomethyl amine (MMA) and calcium hydroxyd (CaOH), in diets for female piglets	148
I. Rempe, S. Kersten, S. Dänicke – Braunschweig	
119. AMPK expression in subcutaneous and retroperitoneal adipose tissue of periparturient dairy cows after a long-term exposure to ZEN within the first 100 days of lactation	149
L. Webb, L. Locher, J. Rehage, S. Dänicke, K. Huber – Hanover/Braunschweig	
Transport and epithelial physiology	
120. Involvement of anion exchangers in permeation of acetate across basolateral membrane of rumen	150
A. Alameen, R. Rackwitz, F. Dengler, P. Philipp, A. Schmidt-Mähne, G. Gäbel – Leipzig	
121. <i>Ex vivo</i> and <i>in vitro</i> effects of zinc supplementation on the secretory capacity of piglet jejunum	151
E. M. Gefeller, H. Martens, J. R. Aschenbach, S. Twardziok, R. Pieper, S. Klingspor, U. Lodemann – Berlin	
122. <i>Enterococcus faecium</i> NCIMB 10415 <i>in vitro</i> differently modulates the heat shock protein and proinflammatory cytokine response in two intestinal epithelial cells lines	152
S. Klingspor, H. Martens, J. R. Aschenbach, K. Tedin, U. Lodemann – Berlin	

122a.	The role of sodium-coupled monocarboxylate transporter 1 (SMCT1) in ruminal butyrate transport	153
	R. Rackwitz, F. Dengler, A.O. Alameen, P. Philipp, A. Schmidt-Mähne, G. Gäbel – Leipzig	
123.	Does butyrate incubation or hypoxia affect gene expression of SCFA transport proteins in sheep rumen epithelium?	154
	F. Dengler, F. Benesch, R. Rackwitz, G. Gäbel – Leipzig	
124.	The transport of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in the intestine of the rat	155
	A. von Keutz, B. Schröder, G. Breves, P. Nicken, P. Steinberg – Hanover	
125.	A study of the effects of TRP modulators on NH₄⁺ induced currents across the bovine ruminal epithelium	156
	J. Rosendahl, J.R. Aschenbach, H. Martens, F. Stumpff – Berlin	
126.	Effects of dietary 25-hydroxyvitamin D₃ supplementation and/or calcium restriction on the expression of calcium transport proteins in the intestines of laying hens	157
	J. Stahl, M. Wilkens, C. Raudies, B. Schröder, G. Breves – Hanover	
127.	Effects of grinding method, particle size, and physical form of the diet on the glucose transport of the isolated epithelium of the jejunum in laying hens	158
	I. Röhe, I. Ruhnke, R. Löwe, J. Zentek – Berlin/Braunschweig-Thune	
128.	Characterization of nerve muscle interactions in the porcine distal colon	159
	T. Otto, G. Gäbel, H. Pfannkuche – Leipzig	
129.	Influence of high concentrations of dietary zinc on the histamine-induced secretion and the role of histamine receptors in the colon of weaned piglets	160
	S. Kröger, R. Pieper, J. R. Aschenbach, J. Zentek – Berlin	
	Feed additives	
130.	Effect of exogenous phytase, phosphorus and zinc supplementation on the phosphorus and zinc concentration of liver, testes and bones of fattening bulls	161
	L. Winter, U. Meyer, L. Hüther, P. Lebzien, S. Dänicke – Braunschweig	
131.	Oral bioavailability of the flavonoid quercetin in newborn calves	162
	J. Maciej, S. Wolfram, H. M. Hammon – Dummerstorf/Kiel	
132.	Effects of dried distillers grains with solubles and grape seed meal on ruminal microbiota <i>in vitro</i>	163
	R. Khiaosa-ard, B. U. Metzler-Zebeli, S. Ahmed, A. Muro-Reyes, K. Deckardt, Q. Zebeli – Vienna/Piacenza/Zacatecas	

	Page
133. Recommendations for using high dietary zinc and biotin levels due to their effects on foot pad health in broilers challenged with critical moisture content in the litter	164
A. Abd El-Wahab, D. Radko, J. Kamphues – Hanover/Egypt	
134. Tissue uptake of α- and γ-tocopherol in broiler chickens and their effect on linseed oil induced oxidation	165
U. Tomažin, T. Frankič, J. Salobir – Ljubljana	
135. Effect of phytase supplemented alone or together with xylanase in wheat-based diets on inositol phosphates in the crop of broilers	166
E. Zeller, M. Schollenberger, I. Kühn, M. Rodehutsord – Stuttgart-Hohenheim/ Darmstadt	
136. Co-culture of probiotic <i>Enterococcus faecium</i> NCIMB 10415 with <i>Akkermansia muciniphila</i> results in the production of a cytotoxic factor	167
B.P. Ganesh, M. Adler, M. Blaut, G. Loh – Nuthetal	
137. Determination of tannin content and structure of selected plant extracts using HPLC-MS	168
M. Schweigmann, F. Taube, H. Schulz, W. Schütze, M. Gierus – Kiel/Quedlinburg	
138. Impact of <i>Bacillus cereus</i> var. <i>Toyoi</i> on intestinal barrier function and frequencies of intraepithelial immune cell populations in piglets	169
S. Altmeyer, S. Kröger, J. Zentek, L. Scharek-Tedin – Berlin	
139. Influence of feed additives on the transepithelial resistance in a porcine intestinal cell line (IPEC-J2) challenged with enterotoxigenic <i>Escherichia coli</i>	170
S. Speiser, W. Vahjen, J. Zentek – Berlin	
140. Histological examination of the intestinal wall and selected organs of minipigs after oral supplementation of humic acids	171
K. Büsing, M. Elhensheri, K. Entzian, U. Meyer, A. Zeyner – Rostock/Halle	
141. The effect of <i>Agrimonia procera</i> extract on LPS-stimulated porcine blood mononuclear	172
T. Gräber, C. Brandsch, H. Kluge, G. Horn, G. I. Stangl – Halle	
142. Influence of phytogenic feed additives in a porcine intestinal epithelial cell line (IPEC-J2)	173
C. Krämer, J. Zentek – Berlin	
143. A multidimensional data analysis to gain insight into the role of probiotics on piglet gut development and into host microbiota interaction	174
S. Twardziok, R. Pieper, J. Zentek, P. Wrede – Berlin	
144. Effects of dietary vitamin C supplementation on urinary pH-values and caecotrophes quality in rabbits	175
P. Wolf, B. Zumbrock, K. Dillmann, J. Kamphues – Hanover	

	Page
145. Effects of <i>Bacillus cereus</i> var. <i>toyoi</i> supplementation on serum IgG levels and on the incidence of diarrhoea in suckling foals	176
J. John, K. Rödiger, W. Schrödl, M. Krüger, M. Coenen, I. Vervuert – Leipzig/Beerfelden	
146. Effect of dried <i>Origanum vulgare</i> L. on performance data and immunological parameters of weaned piglets	177
K. Stelter, A. Berk, J. Frahm, S. Dänicke – Braunschweig	
147. Individually diverse responses of sows and their offspring to supplementation with a probiotic <i>E. faecium</i> strain	178
W. Vahjen, I. Starke, R. Pieper, J. Zentek – Berlin	
148. Suitability of nettle addition to layer diets for naturally generating intensive yolk yellowness	179
Y. Loetscher, M. Kreuzer, R. Messikommer – Zurich	
149. Influence of supplementation of an antioxidant supplementation on production and health status of dairy cows	180
J. McNamara, E. von Heimendahl – Pullman/Cuxhaven	
150. Effect of monensin supplementation to grass silage on the populations of ruminal cellulolytics and methanogens <i>in vitro</i>	181
M. Witzig, M. Heck, G. Wischer, J. Boguhn, M. Rodehutschord – Stuttgart-Hohenheim	
151. Epigenetic consequences of oral butyrate application in chicken	182
G. Mátiš, A. Kulcsár, J. Petrilla, Á. Kenéz, Gy. Csikó, Z. Neogrády, K. Huber – Budapest/Hanover	
152. Lanthanum and Cerium do not accumulate in organs, muscle or bone following highly elevated oral supplementation of lanthanide citrate in weaned piglets	183
S. von Rosenberg, W. Rambeck, U. Wehr – Munich	
153. Inhibition of nuclear factor kappa B (NF-κB) and nuclear factor E2-related factor 2 (Nrf2) in duodenal mucosa of piglets by a grape seed and grape marc meal extract	184
D.K. Geßner, A. Fiesel, J. Dinges, R. Ringseis, G. Wen, K. Eder – Gießen	
154. Influence of supplementation of an antioxidant supplementation on adipose and liver transcriptome in early lactation dairy cattle	185
J. McNamara, J. Thomson, E. von Heimendahl – Pullman/Bozeman/Cuxhaven	
155. Supplementation of L-carnitine leads to an activation of the IGF-1/PI3K/Akt1 signalling pathway in skeletal muscle of rats	186
J. Keller, A. Couturier, M. Haferkamp, E. Most, K. Eder – Gießen	

List of Authors

187-196