

# Contents

<b>Review Lecture</b>	
<b>Nutrition of veal calves: Interactions between Milk Replacer and Solid Feeds</b>	<b>18</b>
*Walter J.J. Gerrits – Wageningen	
<b>Energy</b>	
<b>1. Early prepartum classification of high versus normal body condition in dairy cows leads to pronounced metabolic differences post partum</b>	<b>21</b>
*Schuh K., Koch C., Dusel G., Frahm J., Dänicke S., Sauerwein H., Sadri H. – Bonn/Bingen a. R./Münchweiler a. d. Alsenz/Braunschweig	
<b>2. Effects of elevated BHB concentrations on glucose metabolism in dairy cows before and after parturition</b>	<b>22</b>
*Gross J., Zarrin M., Grossen-Rösti L., Bruckmaier R. – Bern/Yasouj	
<b>3. Effects of intensive milk feeding and butyrate supplementation on the somatotropic axis in German Holstein calves</b>	<b>23</b>
*Frieten D., Gerbert C., Koch C., Dusel G., Eder K., Mielenz B., Hoeflich A., Hammon H. – Münchweiler a. d. Alsenz/Bingen/Giessen/Dummerstorf	
<b>4. Organ and epithelial growth in the gastrointestinal tract of Holstein calves fed milk replacer ad libitum and supplemented with butyrate</b>	<b>24</b>
*Gerbert C., Frieten D., Koch C., Dusel G., Eder K., Zitnan R., Hammon H. – Münchweiler a. d. Alsenz/Bingen/Giessen/Kosice/Dummerstorf	
<b>5. Transcript abundance of lipolysis, lipid oxidation, lipogenesis and lipid transport genes in the skeletal muscle of normal and low birth weight pigs</b>	<b>25</b>
*Sciascia Q., Daş G., Metges C. C. – Dummerstorf	
<b>6. Data on energy and protein metabolism in growing cats - measured by indirect calorimetry</b>	<b>26</b>
*Wichert B., Ghielmetti V., Liesegang A. – Zurich	
<b>7. Effects of lactational stage and feeding level on adrenal cortex reactivity in dairy cows</b>	<b>27</b>
*Gross J., Zbinden R., Dohme-Meier F., Bruckmaier R. – Bern/Posieux	
<b>8. Association between the telomere length and mitochondrial DNA copy number during early and late lactation in dairy cows</b>	<b>28</b>
*Häussler S., Laubenthal L., Hoelker M., Gerlach K., Südekum K.-H., Sauerwein H. – Bonn	
<b>9. Impact of different roughage qualities at comparable concentrate level on feed efficiency and methane emissions of dairy cows during the lactation cycle</b>	<b>29</b>
*Rischewski J., Bielak A., Demo M., Tuchscherer A., Kuhla B. – Dummerstorf	
<b>10. Effect of energy concentration in roughage and allowance of concentrates on performance and energy metabolism of pluriparous dairy cows during early lactation</b>	<b>30</b>
*S. Witten, J. Bokemeyer, *Schmitz R., Schnabel K., von Soosten D., Meyer U., Rehage J., Dänicke S. – Braunschweig/Hanover	
<b>11. Effect of maize- or wheat-based diets on the abundance of selected proteins involved in insulin signaling of broiler chicken</b>	<b>31</b>
*Kulcsár A., Mátis G., Petrilla J., Talapka P., Fébel H., Neogrády Z., Huber K. – Budapest/Herceghalom/Stuttgart	
<b>Transport and epithelial physiology</b>	
<b>12. Influence of dietary methionine source on the activity of methionine-resorptive mechanisms in the gastrointestinal tract of growing pigs</b>	<b>32</b>
*Mastrototaro L., Romanet S., Pieper R., Zentek J., Htoo J. K., Saremi B., Aschenbach J. R. – Berlin	

<b>13. Influence of dietary nitrogen and/or calcium on the expression of calcium transport-related proteins in the kidney of young goats</b>	<b>33</b>
*Firmenich C., Elfers K., Wilkens M., Breves G., Muscher-Banse A. – Hanover	
<b>14. Recovery of the bovine epimural bacterial microbiome from either a continuous or a transient SARA challenge</b>	<b>34</b>
*Wetzels S. U., Petri R. M., Pourazad P., Kumar M., Metzler-Zebeli B. U., Wagner M., Schmitz-Esser S., Zebeli Q. – Vienna/Ames	
<b>15. Temporal changes in bovine rumen epithelium gene expression in response to increasing concentrate feeding</b>	<b>35</b>
*Petri R., Wetzels S., Metzler-Zebeli B., Zebeli Q. – Vienna	
<b>16. A study on NH<sub>4</sub><sup>+</sup>-induced currents across the gastrointestinal epithelium of pigs</b>	<b>36</b>
*Manneck D., Schrapers K. T., Braun H. S., Rosendahl J., Stumpff F. – Berlin	
<b>17. Is butyrate protective in porcine colon epithelium under hypoxia?</b>	<b>37</b>
*Dengler F., Rackwitz R., Gäbel G. – Leipzig	
<b>18. Modulation of cyclic adenosine monophosphate in sheep ruminal epithelium by short chain fatty acids and G-protein coupled receptor agonists</b>	<b>38</b>
*Baaske L., Masur F., Gäbel G. – Leipzig	
<b>19. Localization of apelin receptor in the hair follicles of ewes subjected to different nutritional levels</b>	<b>39</b>
*Mercati F., Barbato O., Trabalza Marinucci M., Pirino C., Dall'Aglio C. – Perugia	
<b>20. A study of the bovine TRPV3 channel as a pathway for the uptake of Ca<sup>2+</sup></b>	<b>40</b>
*Liebe F., Liebe H., Schrapers K. T., Sponder G., Stumpff F. – Berlin	
<b>21. The gut barrier integrity and mucosal immune response after heat stress in the jejunum of dairy cows</b>	<b>41</b>
*Koch F., Albrecht E., Kuhla B., – Dummerstorf	
<b>22. Effect of varying dietary supply with neutral detergent fibre, starch and sugar to fattening bulls on post-mortem endpoints of ruminal fermentation and glutathione metabolites within rumen papillae</b>	<b>42</b>
*Brugger D., Ettle T., Windisch W., Bolduan C. – Freising/Grub	
<b>Environment</b>	
<b>23. Effects of four different diets on the relationship between methane emission and milk fatty acids profile in dairy cows: Deduction of a methane indicator</b>	<b>43</b>
*Engelke S. W., Daş G., Derno M., Tuchscherer A., Kuhla B., Metges C. C. – Dummerstorf	
<b>24. Methane emissions from grazing dairy cows: comparison of data using the sulphur hexafluoride tracer technique and the GreenFeed system</b>	<b>44</b>
*Dohme-Meier F., Denninger T., Dufey P.-A., Martin C., Rochette Y., Schwarm A., Kreuzer M., Münger A. – Posieux/Zurich/Theix	
<b>25. Methodological study on the use of a portable Laser Methane Detector to assess methane concentration in air exhaled by Boer goats</b>	<b>45</b>
*Roessler R., Fotang C., Schlecht E. – Witzenhausen	
<b>Minerals</b>	
<b>26. Effect of zinc oxide sources and dosages on intestinal bacterial counts and gut integrity of weaned piglets</b>	<b>46</b>
*Michiels J., Van Noten N., Degroote J., Wang W., Romeo A. – Ghent/Sillingy	
<b>27. Parakeratosis in piglets caused by a nutritive secondary zinc deficiency</b>	<b>47</b>
*Borgelt L., Wohlsein P., Wimmers K., Oster M., Wolf P. – Rostock/Hanover/Dummerstorf	

<b>28. Investigations on the influence of a different phosphorus supply on bone's density and chemical composition in weaned piglets</b>	<b>48</b>
*Rieger H., Ratert C., Wendt M., Schwennen C., Kamphues J. – Hanover	
<b>29. Liver steatosis and tissue iron content in turkeys suffering from hepatic lipidosis</b>	<b>49</b>
*Radko D., Middendorf L., Engels A., Leibfächer C., Möhle H., Dünghoef K., Weier S., Visscher C. – Bad Homburg/Hanover/Bönten/Vechta/Hamminkeln/Lohne	
<b>30. Effects of dose and source of copper supplementation on quantitative composition of rumen microorganisms</b>	<b>50</b>
*Hanauer M., Bolduan C., Windisch W. – Freising	
<b>31. Mineral levels in grass silages in dependence of harvesting date collected from different regions in Germany</b>	<b>51</b>
*Hoedtke S., Höltershinken M., Wolf P. – Rostock/Hanover	
<b>32. Mineral and trace element contents in pasture grass from areas with or without nature conservation by law characterized by different grazing systems</b>	<b>52</b>
*Leberl P., Hrenn H. – Stuttgart	
<b>33. Copper supply of sheep in Mecklenburg-Western Pomerania - current state</b>	<b>53</b>
*Borgelt L., Fittkau J., Wolf P. – Rostock	
<b>34. The adequate copper supply of sheep - still a challenge? An evaluation of liver samples</b>	<b>54</b>
*Kölln M., Ratert C., Wolf P., Brüggemann M., Hamann-Thölken A., Kamphues J. – Hanover/Rostock/Oldenburg	
<b>Undesirable substances</b>	
<b>35. Can <i>ex vivo</i> tissue models be used to evaluate the effects of endotoxins on livestock animals?</b>	<b>55</b>
*Reisinger N., Grenier B., Mayer E., Schaumberger S., Schatzmayr G. – Tulln/Getzersdorf	
<b>36. Examination and evaluation of the biomarker Sa/So (sphinganine/sphingosine) ratio in pigs after i.v. and oral application of fumonisin B1 (FB1) with or without a feed additive with fumonisin esterase activity</b>	<b>56</b>
*Schertz H., Paulick M., Kluess J., Frahm J., Schatzmayr D., Dohnal I., Schwartz-Zimmermann H., Breves G., Dänicke S. – Braunschweig/Tulln	
<b>37. Effect of glyphosate residues in animal feed on ruminal fermentation in dairy cows</b>	<b>57</b>
*von Soosten D., Schnabel K., Meyer U., Hüther L., Dänicke S. – Braunschweig	
<b>38. Contents of cadmium and lead in grass silages from different cuts and regions in Germany</b>	<b>58</b>
*Hoedtke S., Höltershinken M., Wolf P. – Rostock/Hanover	
<b>39. A case of ryegrass staggers (intoxication with Lolitrem B) after feeding straw from the grass seed production to horses</b>	<b>59</b>
*Sander S. J., Brauer M., Aboling S., Fink-Gremmels J., Kamphues J. – Hanover/Ramlingen/Utrecht	
<b>40. Antidotal efficacy of free methionine in broilers fed a basal diet in which corn was incrementally substituted by cassava chips</b>	<b>60</b>
*Akinde D., Etop S. – Lohne/Ibadan	
<b>Digestion</b>	
<b>41. Investigations on praecaecal digestibility of a home-made food based diet for patients with exocrine pancreatic insufficiency - studies in ileo-caecal fistulated pigs</b>	<b>61</b>
*Möbeler A., Ahlfänger B., Kamphues J. – Hanover	
<b>42. Effect of experimentally-induced exocrine pancreatic insufficiency on the intracellular cobalamin status in pigs</b>	<b>62</b>
*Grützner N., Möbeler A., Risch L., Kamphues J., Nathues H. – Bern/Hanover	

<b>43. Dietary changes in pig nutritional studies shape the structural and functional composition of the pig's fecal microbiome - from days to weeks</b>	<b>63</b>
*Seifert J., Tilocca B., Burbach K., Heyer C. M. E., Camarinha-Silva A., Hölzle L. E., Mosenthin R., Stefanski V. – Stuttgart	
<b>44. Effect of supplementing broiler diets with dry whey powder and whey protein concentrate on the productive performance, digestibility of nutrients and cecal microbiota composition</b>	<b>64</b>
*Pineda-Quiroga C., Camarinha-Silva A., Borda-Molina D., Atxaerandio R., Ruiz R., García-Rodríguez A. – Vitoria-Gasteiz/Stuttgart	
<b>45. Caecal microbial community response to prebiotic and probiotic supplementation in laying hens diets</b>	<b>65</b>
*Borda-Molina D., Pineda-Quiroga C., Chaves-Moreno D., Ruiz R., Atxaerandio R., Camarinha-Silva A., García-Rodríguez A. – Stuttgart/Vitoria-Gasteiz/Braunschweig	
<b>46. In situ disappearance kinetics of phosphorus and macronutrients and rumen microbial abundance in cows fed concentrates treated with lactic acid, with or without inorganic phosphorus supplementation</b>	<b>66</b>
*Khiaosa-Ard R., Mickdam E., Metzler-Zebeli B. U., Humer E., Harder H., Khol-Parisini A., Zebeli Q. – Vienna	
<b>47. Postruminal digestion of starch infused into the abomasum of heifers with or without exogenous <math>\alpha</math>-amylase administration</b>	<b>67</b>
*Hansen K., Westreicher-Kristen E., Tröscher A., Blank R., Dickhöfer U., Susenbeth A. – Kiel/Lampertheim/Stuttgart	
<b>48. Effect of different particle sizes of barley on apparent total tract digestibility in horses</b>	<b>68</b>
*Küstters J., Schedle K., Gierus M. – Vienna	
<b>49. Chewing patterns in horses during the intake of various quantities of two pelleted mixed feeds differing in their physical characteristics only</b>	<b>69</b>
*Bochnia M., Goetz F., Wensch-Dorendorf M., Kamphues J., Zeyner A. – Halle (Saale)/Hanover	
<b>50. Influences of lactation stage and different energy concentrations in roughage on ruminal pH and rumination activity in pluriparous dairy cows</b>	<b>70</b>
*Schmitz R., von Soosten D., Meyer U., Rehage J., Dänicke S. – Braunschweig/Hanover	
<b>51. Use of fat: protein ratio in milk as an indicator of subacute rumen acidosis: A meta-analysis</b>	<b>71</b>
*Zschiesche M., Mohr T., Sharifi R., Hummel J. – Göttingen	
<b>52. The presence and localization of apelin in the sheep abomasum: impact of diets characterized by different chemical composition</b>	<b>72</b>
*Dall'Aglio C., Ceccarelli P., Pirino C., Maranesi M., Catorci A., Scocco P., Acuti G., Mercati F. – Perugia/Camerino	
<b>53. The presence and localization of Cannabinoid receptors Type-1 and Type-2 in the swine ileocecal valve: the effects of different physical forms of diet on their expression</b>	<b>73</b>
*Pirino C., Cappai M. G., Kamphues J., Dall'Aglio C. – Perugia/Sassari/Hanover	
<b>54. Effects of exocrine pancreatic insufficiency on diversity of the ileal microbiota - studies in juvenile pancreatic duct ligated pigs</b>	<b>74</b>
*Möbeler A., Handl S., Vital M., Kamphues J. – Hanover/Vienna/Braunschweig	
<b>55. Growth performance and digestive capacity of mealworms (<i>Tenebrio molitor</i> L.) fed with low or high fiber diets</b>	<b>75</b>
*Paulicks B., Eisen E., Becker C., Brugger D., Windisch W. – Freising	
<b>Amino acids and nitrogen</b>	
<b>56. Effects of moderate feed restriction and dietary L-arginine supplementation on cellular and humoral parameters of an acute lipopolysaccharide induced innate immune response in cockerels of a dual-purpose breed</b>	<b>76</b>
*Lieboldt M.-A., Frahm J., Halle I., Dänicke S. – Braunschweig	

<b>57. L-Arginine requirements for growth and carcass parameters in broilers</b>	<b>77</b>
*Esteve-Garcia E., Khan D. R., Westermeier C. – Constantí/Schwalbach	
<b>58. Impact of different methionine isomers and DL-2-hydroxy-4-methylthiobutyrate (HMTBA) on the quantitative methionine and cysteine metabolism in weaned pigs</b>	<b>78</b>
*Rasch I., Görs S., Tuchscherer A., Saremi B., Htoo J. K., Kuhla B., Metges C. C. – Dummerstorf/Hanau	
<b>59. Protein quality of chicken diets with complete substitution of soybean meal by insect meal (<i>Hermetia illucens</i>) or algae meal (<i>Spirulina platensis</i>) and graded fortification of dietary amino acid supply</b>	<b>79</b>
*Neumann C., Velten S., Deike K., Liebert F. – Göttingen	
<b>60. Experimental studies on effects of ad libitum feeding and arginine supplementation on performance of sows and piglets</b>	<b>80</b>
*Kulüke A., Visscher C. – Hanover	
<b>61. Excretion of faecal, urinary urea and urinary non-urea nitrogen by four ruminant species as influenced by dietary nitrogen intake: a meta-analysis</b>	<b>81</b>
*Schuba J., Südekum K.-H., Pfeffer E., Jayanegara A. – Halle/Bonn/Bogor	
<b>62. Does the amino acid composition of the equine hoof horn correspond with the observed hoof horn quality in horses?</b>	<b>82</b>
*Gramberg K., Sünder A., Liebert F. – Göttingen	
<b>63. Crude protein fractions and amino acid content of milk replacers, waste and bulk milk</b>	<b>83</b>
*Steinhoff-Wagner J., Keric I., Meyer I., Saremi B., Südekum K.-H. – Bonn/Hanau	
<b>64. Effects of moderate feed restriction and dietary L-arginine supplementation on the characteristics of an acute innate immune response induced systemic metabolic acidosis in cockerels of a dual-purpose breed</b>	<b>84</b>
*Lieboldt M.-A., Frahm J., Halle I., Dänicke S. – Braunschweig	
<b>65. Effects of increasing dietary Methionine concentrations on the antioxidant status of broilers</b>	<b>85</b>
*Zeitj J. O., Mohrmann S., Most E., Fehse L., Saremi B., Eder K. – Giessen/Hanau	
<b>66. Effects of different dietary methionine levels on performance and skin health in growing turkeys</b>	<b>86</b>
*Kabuß V.-L., Kölln M., Helmbrecht A., Meißner J., Kamphues J. – Hanover/Hanau-Wolfgang	
<b>67. Effect of an exogenous protease on growth, pancreas mass and intestinal trypsin activity in chicken fed raw or processed fullfat soybean meal</b>	<b>87</b>
*Sünder A., Schättler J., Wecke C., Liebert F. – Göttingen	
<b>68. Gastro intestinal effects of partly defatted insect meal (<i>Hermetia illucens</i>) and micro algae meal (<i>Spirulina platensis</i>) as substitute for soybean meal in mixed diets for meat type chicken</b>	<b>88</b>
*Velten S., Gruber-Dujardin E., Neumann C., Liebert F. – Göttingen	
<b>69. Response of meat type chickens due to amino acid optimization of mixed diets with 50% replacement of soybean-meal by partly defatted insect meal (<i>Hermetia illucens</i>) or meal from micro algae (<i>Spirulina platensis</i>)</b>	<b>89</b>
*Velten S., Neumann C., Mast J., Liebert F. – Göttingen	
<b>70. Crude protein and ash contents of feathers and feather-free body of actual meat type chicken (Ross 308) depending on age and sex</b>	<b>90</b>
*Wecke C., Khan D. R., Sünder A., Liebert F. – Göttingen	
<b>Feed additives</b>	
<b>71. Influence of grape seed and grape marc meal extract on the hepatic transcript profile and the plasma lipid profile of early lactating dairy cows</b>	<b>91</b>
*Ringseis R., Koch C., Winkler A., Dusel G., Liebisch G., Gessner D., Eder K. – Giessen/Münchweiler a. d. Alsenz/Bingen/Regensburg	

<b>72. Fermentation characteristics along the equine gastrointestinal tract after feeding of Jerusalem artichoke meal</b>	<b>92</b>
*Glatter M., Wiedner K., Hirche F., Mielenz N., Bochnia M., Cehak A., Glaser B., Wolf P., Breves G., Zeyner A. – Halle (Saale)/Hanover/Rostock	
<b>73. The combination of high dietary zinc oxide and chlortetracycline amplifies enterobacterial antibiotic resistance genes in weaned pigs</b>	<b>93</b>
*Vahjen W., Pieper R., Zentek J. – Berlin	
<b>74. Influence of myo-inositol or phytase supplements on <math>\text{InsP}_6</math> disappearance and myo-inositol concentration in crop, lower ileum, and blood of broilers</b>	<b>94</b>
*Sommerfeld V., Künzel S., Schollenberger M., Kühn I., Rodehutsord M. – Stuttgart/Darmstadt	
<b>75. Investigations on the effects of dietary cereal type, crude protein content and butyrate supplementation on carcass composition of broiler chickens</b>	<b>95</b>
*Mátis G., Kulcsár A., Petrilla J., Talapka P., Bardóczy M., Mackei M., Neogrády Z., Fébel H. – Budapest/Herceghalom	
<b>76. Effects of polyphenol product on performance and blood parameters in heat stressed broilers</b>	<b>96</b>
*Männer K., von Heimendahl E., Bartelt J., Diedenhofen T. – Berlin/Cuxhaven	
<b>77. Energetic benefits of supplementing an endo-1,4-arabinoxylanase/endo-1,4-<math>\beta</math>-glucanase preparation to wheat-based diet for broiler chickens</b>	<b>97</b>
*Francesch M., Tröscher A., Ader P. – Lampertheim/Constanti	
<b>78. Influences of different dietary levels of Mannan-degrading enzymes on performance, on viscosity in small intestine contents, as well as on histology of small intestine in broilers</b>	<b>98</b>
*Schiel B., Ratert C., Beyerbach M., Kamphues J. – Hanover	
<b>79. The effect of increasing dietary vitamin D3 levels on growth performance and tibia bone measurements of chicks from four genetically diverse purebred layer lines during 12 weeks of rearing</b>	<b>99</b>
*Sievers H., Lieboldt M.- A., Halle I., Hüther L., Frahm J., Kluess J., Dänicke S. – Braunschweig	
<b>80. Dietary myo-inositol enhances serotonin and dopamine concentrations in plasma of 21-day-old broilers</b>	<b>100</b>
*Huber K., Kenéz A., Rodehutsord M. – Stuttgart	
<b>81. Effect of periparturient sows antioxidant supplementation on piglets survival at birth and sows feed intake during lactation</b>	<b>101</b>
*Barbé F., Sacy A., Chevaux E., Le Treut Y., Ramirez B., Korzekwa M. – Blagnac Cedex	
<b>82. The inflammatory response of porcine monocyte-derived dendritic cells to treatment with probiotic <i>E. faecium</i> and pathogenic <i>E. coli</i> strains</b>	<b>102</b>
*Loss H., Aschenbach J., Ebner F., Lodemann U. – Berlin	
<b>83. <i>Ex vivo</i> studies on survival of <i>Salmonella Derby</i> exposed to porcine gastric contents with/without Benzoic acid</b>	<b>103</b>
*Sieverding J., Ratert C., Keller B., Kamphues J. – Hanover	
<b>84. Effects of different Zinc formulations in 25 - 39 days old piglets</b>	<b>104</b>
*Zentek J., Seelhorst S., Männer K. – Berlin	
<b>85. Decontamination of deoxynivalenol (DON) contaminated maize with <math>\text{Na}_2\text{SO}_3</math>: Treatment effects on health of piglets in a LPS-challenge model</b>	<b>105</b>
*Tran A. T., Paulick M., Kluess J., Frahm J., Berk A., Dänicke S. – Braunschweig	
<b>86. The effect of replacing plasma with increased levels of phytase and soy protein concentrate in a piglet diet</b>	<b>106</b>
*Cordero G., Pique J., ten Doeschate R. – Marlborough/Madrid	

<b>87. Impact of <math>\alpha</math>-amylase supplementation on energy balance and performance of high-yielding dairy cows on moderate starch feeding</b>	<b>107</b>
*Bachmann M., Bochnia M., Mielenz N., Spilke J., Souffrant W. B., Azem E., Schliffka W., Zeyner A. – Halle (Saale)/Basel	
<b>88. Effect of the flavanols catechin, gallic acid, epigallocatechin and epigallocatechin gallate on <i>in vitro</i> ruminal fermentation</b>	<b>108</b>
*Sinz S., Liesegang A., Kreuzer M., Marquardt S. – Zurich	
<b>89. Effects of isoquinoline alkaloids on milk yield and somatic cell count in dairy cows</b>	<b>109</b>
*Beyer B., Ahrens A., Weber D., Scholz H. – Eltville/Jena/Unterbreizbach/Bernburg	
<b>90. Effects of a dietary niacin supplementation on muscle fibre composition and related metabolism in dairy cows</b>	<b>110</b>
*Zeitl J. O., Weber A., Koch C., Most E., Windisch W., Eder K. – Giessen/Münchweiler a. d. Alsenz/A./Freising	
<b>91. Glycemic and insulinemic response of warm-blooded mares after feeding of Jerusalem artichoke meal</b>	<b>111</b>
*Glatter M., Bochnia M., Goetz F., Gottschalk J., Köller G., Mielenz N., Einspanier A., Zeyner A. – Halle (Saale)/Leipzig	
<b>92. Influence of vitamin D and 25-hydroxycholecalciferol (25-OHD<sub>3</sub>) on RNA expression of P-glycoprotein (P-gp) in the rat</b>	<b>112</b>
*Klump K., Schnepel N., Wilkens M. – Hanover	
<b>93. Effect of dietary organic acid salts Potassium diformate (KDF) and sodium diformate (NDF) on growth performance and feed utilization of Red Tilapia (<i>O. niloticus</i> X <i>O. mossambicus</i>) fish grown in brackishwater</b>	<b>113</b>
*Mohamed K., Megahed M., Soltan M. – Ismailia/Suez	
<b>Feedstuff evaluation and feeding</b>	
<b>94. Effects of feeding high-quality hay with graded amounts of concentrate on the bacterial community structure of solid and liquid rumen content in cows</b>	<b>114</b>
*Klevenhusen F., Kleefisch M.-T., Petri R. M., Metzler-Zebeli B. U., Zebeli Q. – Vienna	
<b>95. Effects of feeding high-quality hay with graded amounts of concentrate on dry matter intake, milk yield and milk composition of early lactating dairy cows</b>	<b>115</b>
*Kleefisch M.-T., Hintringer S., Steinbach C., Zebeli Q., Klevenhusen F. – Vienna	
<b>96. Effects of sugar beet silage on ruminal fermentation <i>in vitro</i></b>	<b>116</b>
*Gresner N., Santosa M., Gerlach K., Südekum K.-H. – Bonn	
<b>97. Feed sorting, eating behavior and production performance of early-lactating cows differing in responsiveness of ruminal pH to high concentrate feeding</b>	<b>117</b>
*Khiaosa-Ard R., Pourazad P., Aditya S., Humer E., Zebeli Q. – Vienna	
<b>98. A meta-analysis of the effect of sugar beet pulp as a feed for dairy cows on dry matter intake, production performance and net food production</b>	<b>118</b>
*Münnich M., Khiaosa-Ard R., Zebeli Q. – Vienna	
<b>99. Investigations on the ruminal fermentation of untreated and cell disrupted microalgae <i>in vitro</i></b>	<b>119</b>
*Wild K., Steingäß H., Rodehutschord M. – Stuttgart	
<b>100. Effects of varying supply of fibre, starch and sugar for fattening bulls on feed intake and fattening performance</b>	<b>120</b>
*Ettle T., Spiekens H., Obermaier A., Windisch W. – Freising/Grub	
<b>101. Impact of low- and medium-oil corn dried distillers' grains with solubles on growth performance of feedlot cattle</b>	<b>121</b>
*Ribeiro G., Hünerberg M., Gibb D., McAllister T. – Lethbridge/Göttingen/Wainwright	

<b>102. A targeted metabolomics approach to compare metabolic profiles of calves reared on whole milk or on milk replacer</b>	<b>122</b>
*Kenéz A., Korst M., Koch C., Romberg F.- J., Eder K., Sauerwein H., Huber K. – Stuttgart/Bonn/Münchweiler a. d. Alsenz/Giessen	
<b>103. Effect of Birdsfoot trefoil and dietary protein level on growth performance and fatty acid composition of the intramuscular fat of lamb loins</b>	<b>123</b>
*Seoni E., Rothacher M., Dubois S., Battacone G., Dohme-Meier F., Bee G. – Posieux/Sassari	
<b>104. Effects of an additionally ad libitum offered „fibre mix“ in sows on farrowing, colostrum supply and body condition of the sow</b>	<b>124</b>
*Leurs M., Sürie C., Humann-Ziehank E., Schmicke M., Visscher C. – Hanover	
<b>105. Influence of diet’s physical form (particle size) and housing (with or without straw) on the development of gastric lesions in piglets after rearing</b>	<b>125</b>
*von und zur Mühlen F., Kamphues J. – Hanover	
<b>106. Effects of whole wheat in the diet and different floor designs on the outcome of an experimental infection with Salmonella Enteritidis in broilers</b>	<b>126</b>
*Kriewitz J.- P., Ratert C., Visscher C., Keller B., Chuppava B., Kamphues J. – Hanover	
<b>107. Effect of dietary insect protein from Tenebrio molitor L. on lipid metabolism in an obese rat model</b>	<b>127</b>
*Gessner D., Schwarz A., Most E., Ringseis R., Berezina N., Hubert A., Eder K. – Giessen/Évry	
<b>108. Effect of species composition of grass silages on nitrogen use efficiency of dairy cows in comparison with a soybean meal and maize silage based diet</b>	<b>128</b>
*Ineichen S., Marquardt S., Wettstein H.- R., Kreuzer M., Reidy B. – Zollikofen/Zurich	
<b>109. Comparative evaluation of lucerne, grass and maize silage-based rations for lactating dairy cows: Feed intake, milk yield and milk composition</b>	<b>129</b>
*Trautwein J., Südekum K.-H., Dusel G., Steingäß H., Romberg F.-J., Koch C., Landfried K. – Bonn/Bingen/Stuttgart/Münchweiler a. d. Alsenz	
<b>110. Search for European plants containing bioactive compounds to lower <i>in vitro</i> methane formation from ruminally fermentable organic matter</b>	<b>130</b>
*Terranova M., Wolter M., Kreuzer M., Braun U., Schwarm A. – Zurich	
<b>111. Effect of brown seaweed <i>Ascophyllum nodosum</i> on rumen fermentation and nutrient digestibility in sheep</b>	<b>131</b>
*Hünerberg M., Zhou M., Reuter T., McAllister T., Guan L. – Göttingen/Lethbridge/Edmonton	
<b>112. Use of nylon bags during <i>in vitro</i> fermentation: Effects on gas production, feedstuffs degradability and short-chain fatty acids concentration</b>	<b>132</b>
*Castro-Montoya J., Hemanth M., Dickhoefer U. – Stuttgart	
<b>113. Effect of a high fiber diet before and during lactation on sow and offspring performance, fecal characteristics and the relation to neonatal <i>Clostridium difficile</i> colonization</b>	<b>133</b>
*Grzeskowiak L., Pieper R., Vahjen W., Zentek J. – Berlin	
<b>114. Roughage based liquid diets for pregnant sows - apparent digestibility of whole plant silages (wheat, rye) and their nutritive value</b>	<b>134</b>
*Sievers S., von und zur Mühlen F., Kamphues J. – Hanover	
<b>115. Variation in water holding and linear buffering capacity of fiber rich feed stuffs</b>	<b>135</b>
*Braach J., Schedle K., Wurzer G. K., Gierus M. – Vienna	
<b>116. Investigations on vitamin B<sub>2</sub> and B<sub>6</sub> contents in organically produced cereal and grain legume varieties</b>	<b>136</b>
*Witten S., Aulrich K. – Westerau	

<b>117. Effect of rumen nitrogen balance on <i>in vitro</i> gas production and microbial protein synthesis from different carbohydrate sources</b>	<b>137</b>
*Kand D., Castro Montoya J., Dickhoefer U. – Stuttgart	
<b>118. Decreased phytic acid levels and viscosity in wheat bran through solid-state fermentation with <i>Pleurotus</i> fungi</b>	<b>138</b>
*Wanzenböck E., Tirpanalan Ö., Schedle K., Apprich S., Kneifel W. – Vienna	
<b>119. Expander processed maize in fattening pigs: impact of starch gelatinization on starch digestibility and microbial metabolites in ileal and colonic digesta</b>	<b>139</b>
*Puntigam R., Schedle K., Höblinger E.- M., Schwarz C., Gierus M. – Vienna	
<b>120. Effects of transport/soaking time on results of wet sieve analysis in liquid diet samples</b>	<b>140</b>
*Ratert C., Kölln M., Senkpiel J., Zimmermann J., Kamphues J. – Hanover	
<b>121. Effect of replacement of soybean meal by rape seed meal plus peas in feed on laying performance of two laying hen strains</b>	<b>141</b>
*Halle I. – Braunschweig	
<b>122. Influence of an increasing content of blue sweet lupines (<i>Lupinus angustifolius</i>) in the feed on the growth of broiler chickens</b>	<b>142</b>
*Halle I. – Braunschweig	
<b>123. Effect of varying dietary protein-levels on performance and total body composition in dual-purpose chickens</b>	<b>143</b>
*Urban J., Röhe I., Männer K., Zentek J. – Berlin	
<b>124. Impact of variously processed feeds on gut-associated and peripheral immune cells of broilers</b>	<b>144</b>
*Liermann W., Frahm J., Berk A., Dänicke S. – Dummerstorf/Braunschweig	
<b>125. The effect of dietary cereal type, crude protein content and butyrate application on selected markers of metabolism in broiler chickens</b>	<b>145</b>
*Petriřilla J., Mátis G., Kulcsár A., Talapka P., Bíró E., Hatala P., Mackei M., Fébel H., Neogrady Z. – Budapest/Herceghalom	
<b>126. Comparison of standard feedstuffs for carps and koi fish with regard to nutrient composition and requirements</b>	<b>146</b>
*Otto D., Hoedtke S., Wolf P. – Rostock	
<b>127. Insect protein in aquafeed - effect of substituting soy protein on protein quality of Tilapia feed</b>	<b>147</b>
*Dietz C., Liebert F. – Göttingen	
<b>128. Struvite urolithiasis in a dog - A case of pet owner's compliance</b>	<b>148</b>
*von und zur Mühlen F., Ratert C., Kölln M., Kamphues J. – Hanover	
<b>129. Effect of <i>Hermetia illucens</i> larvae meal as a protein source on the nutrient digestibility in dogs</b>	<b>149</b>
*Heide C., Kröger S., Zentek J. – Berlin	
<b>Fatty acids</b>	
<b>130. Do maternal dietary omega-3 or omega-6 fatty acids affect embryo-maternal communication and preimplantation embryo development in Angus heifers?</b>	<b>150</b>
*Giller K., Drews B., Berard J., Kienberger H., Spanier B., Geisslinger G., Ulbrich S. E. – Zurich/München/Frankfurt	
<b>131. Acylcarnitine profiles in serum and skeletal muscle and mRNA expression of the carnitine acyltransferases - CPT1B and CPT2 in muscle of dairy cows around parturition</b>	<b>151</b>
*Yang Y., Sadri H., Prehn C., Adamski J., Rehage J., Dänicke S., Saremi B., Sauerwein H. – Bonn/Neuherberg/Hanover/Braunschweig/Hanau	

<b>132. The effects of polyunsaturated fatty acids on markers of cartilage degradation in a canine model of osteoarthritis</b>	<b>152</b>
*Schoeniger A., Fuhrmann H., Adler N. – Leipzig	
<b>133. Fatty acid profile and flotillin-1 abundance in red blood cell membranes of dairy cows fed a total mixed ration with reduced essential fatty acid content</b>	<b>153</b>
*Revskij D., Haubold S., Kröger-Koch C., Tuchscherer A., Kienberger H., Rychlik M., Tröscher A., Schuberth H.-J., Hammon H. M., Mielenz M. – Dummerstorf/Freising/Limburgerhof/Hanover	
<b>134. Influence of conjugated linoleic acids (CLA) and vitamin E on milk fatty acid composition and <math>\alpha</math>-tocopherol concentrations in blood and milk</b>	<b>154</b>
*Schäfers S., Meyer U., von Soosten D., Hüther L., Eder K., Most E., Tröscher A., Pelletier W., Zeyner A., Dänicke S. – Braunschweig/Giessen/Lampertheim/Halle(Saale)	
<b>135. Effects of abomasal infusion of essential fatty acids and conjugated linoleic acid on performance, fatty acid status and metabolism in dairy cows fed a ration with reduced essential fatty acid content</b>	<b>155</b>
*Haubold S., Kröger-Koch C., Tuchscherer A., Tröscher A., Starke A., Kienberger H., Rychlik M., Hoefflich A., Hammon H. – Dummerstorf/Limburgerhof/Leipzig/Weißenstephan	
<b>136. Are rumen-protected n-3 and n-6 fatty acids incorporated at different levels in bovine muscles with different metabolism?</b>	<b>156</b>
*Wolf C., Giller K., Ulbrich S. E., Kreuzer M., Berard J. – Zurich	
<b>137. Role of glucose and acetic acid in differentiation of bovine pre-adipocytes into mature adipocytes</b>	<b>157</b>
*Sandhu M. A., Jurek S. K., Trappe S., Kolisek M., Aschenbach J. R. – Berlin	
<b>138. Effect of dietary conjugated linoleic acid on vitamin A status of lactating rats and their offspring</b>	<b>158</b>
*Zeitj J. O., Most E., Eder K. – Giessen	
<b>139. Palmitoylethanolamide -a natural agent with possible anti-inflammatory and anti-oxidative effects against canine atopic dermatitis</b>	<b>159</b>
*Basiouni S., Fuhrmann H. – Leipzig	
<b>140. Antioxidant impact and ovary <math>\Delta</math>-6 desaturase gene expression during pregnancy, milk fatty acid profile in rabbit does fed with fatty acids supplementation</b>	<b>160</b>
*Maranesi M., Petrucci L., Castellini C., Boiti C., Chiaradia E., Avellini L., Dall'Aglio C., Zerani M., Mattioli S. – Perugia/Camerino (MC)	
<b>Other topics</b>	
<b>141. Investigations regarding the localisation (anatomical parts) of small intestine elongation in case of exocrine pancreatic insufficiency (EPI) in pigs</b>	<b>161</b>
*Ahlfänger B., Möbeler A., Brehm R., Langheheine M., Kamphues J. – Hanover	
<b>142. Longitudinal analysis of faecal microbiome composition of sows after offering a high fibre supplement (TFM) around parturition</b>	<b>162</b>
*Keller B., Leurs M., Galvez E., Strowig T., Keller C., Stürje C., Visscher C. – Hanover/Braunschweig/Ruthe/Sarstedt	
<b>143. Fattening performance of dual purpose cockerels as compared to an extensive broiler genotype and laying hybrid cockerels when fed a low protein diet</b>	<b>163</b>
*Mueller S., Messikommer R. E., Kreuzer M., Gangnat I. D. M. – Zurich	
<b>144. Effect of floor design (with/without litter) in broiler and turkey housings on feed intake, body weight and foot-pad health</b>	<b>164</b>
*Chuppava B., Visscher C., Ratert C., Keller B., Kriewitz J.-P., Kamphues J. – Hanover	
<b>145. Ingestive mastication in horses parallels rumination but not ingestive mastication in cattle and camels</b>	<b>165</b>
*Clauss M., Dittmann M., Runge U., Kreuzer M., – Reading/Neukirch/Zurich	

<b>146. Comparative effects of lipopolysaccharide challenge on cytokine mRNA expression in the liver in non-obese ponies and horses</b>	<b>166</b>
*Schedlbauer C., Blaue D., Blüher M., Gittel C., Walter B., Almuth E., Vervuert I. – Leipzig	
<b>147. Effects of glyphosate residues in animal feed on performance, energy metabolism and health characteristics in lactating dairy cows</b>	<b>167</b>
*Schnabel K., Schmitz R., von Soosten D., Meyer U., Breves G., Dänicke S. – Braunschweig/Hanover	
<b>148. Effects of an intramammary lipopolysaccharide challenge on metabolic responses and liver enzymes in dairy cows experiencing or not subacute ruminal acidosis</b>	<b>168</b>
*Aditya S., Humer E., Pourazad P., Khiaosa-Ard R., Zebeli Q. – Vienna	
<b>149. Measurement of abomasal luminal pressure, pH and temperature in healthy and diarrheic dairy calves using a wireless ambulatory capsule (SmartPill®)</b>	<b>169</b>
*Hildebrandt T., Scheuch E., Weitschies W., Bachmann L., Vervuert I. – Leipzig/Greifswald/Uelzen	
<b>150. Systemic availability of quercetin after oral application of quercetin or rutin in miniature Shetland ponies</b>	<b>170</b>
*Wein S., Niemann S., Wolfram S. – Kiel	
<b>151. Pilot study about day-to-day variation of HCl-insoluble ash in faeces of horses</b>	<b>171</b>
*Penning M., Swagemakers J.-H., Möbeler A., Kamphues J. – Lüsche/Hanover	
<b>152. Different inflammatory cytokine expression in several adipose tissue localisations in non-obese ponies and horses undergoing a lipopolysaccharide (LPS) challenge</b>	<b>172</b>
*Blaue D., Schedlbauer C., Blüher M., Gittel C., Brehm W., Einspanier A., Vervuert I. – Leipzig	
<b>153. Field Study to investigate the informative value of allergene screening tests based on IgE ELISA in horses with respiratory symptoms or skin diseases</b>	<b>173</b>
*Penning M., Swagemakers J.-H., Möbeler A., Kamphues J. – Lüsche/Hanover	
<b>154. Relationships between feed intake, chewing activity, diet digestibility, and rumen microbial protein synthesis in lactating dairy cows</b>	<b>174</b>
*Aloba A. T., Dickhoefer U., Selje-Abmann N. – Stuttgart	
<b>155. Spatial heterogeneity of vegetation and grazing behavior of cattle on pastures in the Peruvian Andes</b>	<b>175</b>
*Jocher F., Castro Montoya J., Lawrence P., Gomez C., Dickhoefer U. – Stuttgart/Lima	
<b>156. Plasma thyroid hormone concentrations in dairy cows of high versus normal body condition</b>	<b>176</b>
*Webb L. A., Schuh K., Dusel G., Wagner M., Koch C., Sauerwein H., Sadri H. – Bonn/Bingen/Münchweiler a. d. Alsenz	
<b>157. Effects of a ration change from a silage and concentrate- to a pasture-based diet on the motoric activity and rumination of dairy cows</b>	<b>177</b>
*Hartwiger J., Schären M., Potthoff S., Meyer U., Breves G., Dänicke S. – Braunschweig/Hanover	
<b>158. Chemical body composition of individual newborn piglets with different weights at birth</b>	<b>178</b>
*Antonczyk C., Ratert C., Kamphues J. – Hanover	
<b>159. Effect of formula-feeding on the susceptibility of neonatal piglets to <i>Clostridium difficile</i> infection</b>	<b>179</b>
*Grzeskowiak L., Pieper R., Martínez-Vallespín B., Vahjen W., Zentek J. – Berlin	
<b>160. Influence of drying at low temperatures on composition of nitrogenous compounds in excreta of broilers and caecectomised laying hens</b>	<b>180</b>
*Siegert W., Hofmann P., Rodehutschord M. – Stuttgart	
<b>161. <i>Campylobacter jejuni</i> infection in chicken of different genetic lines and ages under the influence of dietary lauric acid rich palm kernel fatty acids in a complete diet</b>	<b>181</b>
*Visscher C., Hankel J., Zeiger K., Popp J., Meemken D. – Hanover	

<b>162. Effects of diets' physical form as well as of the housing in littered pens on broiler's organ development</b>	<b>182</b>
*Ratert C., Kriewitz J.- P., Chuppava B., Visscher C., Keller B., Kamphues J. – Hanover	
<b>163. Intestinal luminal pH is associated with worm expulsion in chickens</b>	<b>183</b>
*Stehr M., Das G., Zentek J., Metges C. C. – Dummerstorf/Berlin	
<b>164. What is the milk composition of the Indian rhinoceros (<i>Rhinoceros unicornis</i>) and how does it change within one year?</b>	<b>184</b>
*Gimmel A., Deillon L., Hoby S., von Houwald F., Schweizer R., Kölln M., Ratert C., Liesegang A. – Zurich/ Basel/Hanover	
<b>Communications of the Committee for Requirement Standards of the Society of Nutrition Physiology</b>	<b>185</b>
<b>Equations for predicting metabolisable energy and digestibility of organic matter in forage legumes for ruminants</b>	<b>186</b>
<b>Gleichungen zur Schätzung der Umsetzbaren Energie und der Verdaulichkeit der Organischen Substanz von Grobfutterleguminosen für Wiederkäuer</b>	<b>194</b>
<b>Statement on energy evaluation of feeds for pigs based on metabolisable energy versus net energy</b>	<b>203</b>
<b>Stellungnahme zur energetischen Futterbewertung beim Schwein auf Basis Umsetzbarer Energie versus Nettoenergie</b>	<b>210</b>
<b>Stellungnahme zur Unerlässlichkeit von Tierversuchen und zur Eignung von Ersatzmethoden in der Tierernährungsforschung</b>	<b>218</b>
<b>Index</b>	<b>225</b>